Safety Data Sheet NOVOPLAN DPL

Safety Data Sheet dated: 07/21/2023 - version 1 Date of first edition: 07/21/2023



1. Identification

Product identifier

Mixture identification:

Trade name: NOVOPLAN DPL

Trade code: 9027329

Recommended use and restrictions on use

Recommended use: Cement based levelling mortar Restrictions on use: Not available

Supplier's details

Company: MAPEI INC. (Canada)

2900 Francis-Hughes Avenue

H7L 3J5 - Laval - QC - CAN

Phone: 1-450-662-1212

Responsible: RDProductSafety@mapei.com

Emergency phone number

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887 Emergency Transport CANUTEC (Canada) 1-613-996-6666

2. Hazard identification



Classification of the product

Skin irritation, Category 2 Serious eye damage, Category 1 Skin Sensitization, Category 1 Carcinogenicity, Category 1A Specific target organ toxicity following repeated exposure, Category 1

Label elements

Hazard pictograms and Signal Word



Hazard statements

nazara statements	
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H350	May cause cancer if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure if inhaled, in contact with skin and if swallowed.

Causes skin irritation.

Causes serious eye damage.

May cause cancer if inhaled.

May cause an allergic skin reaction.

inhaled, in contact with skin and if swallowed.

Causes damage to organs through prolonged or repeated exposure if

Precautionary statements

Frecautionally statem	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy P305+P351+P338 to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P310 Immediately call a doctor. P321 Specific treatment (see supplementary instructions on this label) If skin irritation or rash occurs: Get medical advice/attention. P333+P313 P362+P364 Take off contaminated clothing and wash it before reuse. P405 Store locked up. P501 Dispose of contents/container in accordance with applicable regulations. **Other hazards** None

Ingredient(s) with unknown acute toxicity

None

3. Composition/information on ingredients

Substances

Not Relevant

List of components

Mixtures

Hazardous components within the meaning of WHMIS 2015 and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number	
50-75 %	silica sand; quartz	CAS:14808-60-7 EC:238-878-4	STOT RE 1, H372; Carc. 1A, H350		
2.5-5 %	portland cement; cement, portland, chemicals	CAS:65997-15-1 EC:266-043-4	STOT SE 3, H335; Eye Dam. 1, H318; Skin Sens. 1, H317; Skin Corr. 1A, H314		

The actual concentration of the components listed above is withheld as a trade secret.

4. First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

Remove contact lenses, if present and easy to do. Continue rinsing.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

Indication of immediate medical attention and special treatment needed, if necessary

Production Name

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

(see paragraph 4.1)

5. Fire-fighting measures

Suitable and unsuitable extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the hazardous product

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not available

Explosive properties: Not Relevant

Oxidizing properties: Not Relevant

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations

Scoop into containers and seal for disposal.

Retain contaminated washing water and dispose it.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Use localized ventilation system.

Do not breathe dust.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

Wash skin thoroughly after handling.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature: Not available

8. Exposure controls/personal protection Control parameters

Community Occupational Exposure Limits (OEL)

	OEL Country Type	Occupational Exposure Limit
silica sand; quartz	ACGIH	Long Term: 0.025 mg/m3
CAS: 14808-60-7		A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis;
	ACGIH	Long Term: 0.025 mg/m3
		A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis

	МАК МАК	AUSTRIA SWITZERLAN D	Long Term: 0.15 mg/m3 Long Term: 0.15 mg/m3
portland cement; cement, portland, chemicals CAS: 65997-15-1	OSHA		Long Term: 15 mg/m3
	OSHA		Long Term: 5 mg/m3
	ACGIH		Long Term: 1 mg/m3 A4 - Not Classifiable as a Human Carcinogen;pulmonary function;respiratory symptoms;asthma;
	ACGIH		Long Term: 1 mg/m3 A4 - Not Classifiable as a Human Carcinogen;pulmonary function;respiratory symptoms;asthma
	МАК	AUSTRIA	Long Term: 5 mg/m3
	MAK	SWITZERLAN D	Long Term: 5 mg/m3

Appropriate engineering controls

Not available

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment. Use adequate protective respiratory equipment.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Solid
Appearance and colour: powder Grey
Odour: low odour
Odour threshold: Not Relevant
pH: Not Relevant
pH (water dispersion, 10%): 10.00
Melting point / freezing point: Not Relevant
Initial boiling point and boiling range: Not Relevant
Flash point: Not Relevant
Evaporation rate: Not Relevant
Upper/lower flammability or explosive limits: Not Relevant
Vapour density: Not Relevant
Vapour pressure: Not Relevant
Relative density: 2.00 g/cm3
Solubility in water: Not Relevant
Solubility in oil: Not Relevant
Partition coefficient (n-octanol/water): Not Relevant
Auto-ignition temperature: Not Relevant
Decomposition temperature: Not Relevant
Viscosity: Not Relevant
Explosive properties: Not Relevant
Oxidizing properties: Not Relevant
Solid/gas flammability: Not Relevant

Other information

Substance Groups relevant properties Not Relevant Miscibility: Not Relevant Fat Solubility: Not Relevant Conductivity: Not Relevant

10. Stability and reactivity

Reactivity

Stable under normal conditions

Chemical stability

Data not available.

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. Toxicological information

Information on toxicological effects

Likely routes of exposure:

Skin contact, skin absorption, eye contact, inhalation and ingestion.

Toxicological Information of the Preparation

a) acute toxicity	Not classified
	Based on available data, the classification criteria are not met
b) skin corrosion/irritation	The product is classified: Skin irritation, Category 2(H315)
c) serious eye damage/irritation	The product is classified: Serious eye damage, Category 1(H318)
d) respiratory or skin sensitisation	The product is classified: Skin Sensitization, Category 1(H317)
e) germ cell mutagenicity	Not classified
	Based on available data, the classification criteria are not met
f) carcinogenicity	The product is classified: Carcinogenicity, Category 1A(H350)
g) reproductive toxicity	Not classified
	Based on available data, the classification criteria are not met
h) STOT-single exposure	Not classified
	Based on available data, the classification criteria are not met
i) STOT-repeated exposure	The product is classified: Specific target organ toxicity following repeated exposure, Category 1(H372)
j) aspiration hazard	Not classified
	Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

silica sand; quartz	a) acute toxicity	LD50 Oral Rat = 500 mg/kg
---------------------	-------------------	---------------------------

Group 1

Substance(s) listed on the IARC Monographs:

silica sand; quartz

Substance(s) listed as OSHA Carcinogen(s):

silica sand; quartz

Substance(s) listed as NIOSH Carcinogen(s):

silica sand; quartz

Substance(s) listed on the NTP report on Carcinogens:

silica sand; quartz

12.	Ecological	information
_		

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

Based on available data, the classification criteria are not met

List of Eco-Toxicological properties of the components

Component	Ident. Numb.	Ecotox Data
silica sand; quartz	CAS: 14808-60- 7 - EINECS: 238-878-4	a) Aquatic acute toxicity : LC50 carp > 10000 mg/L 72h

Persistence and degradability

N.A.

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

N.A.

13. Disposal considerations

Safe handling and methods for disposal

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

14. Transport information

Not classified as dangerous in the meaning of transport regulations.

UN number

TDG-UN number: Not Applicable ADR-UN number: Not Applicable DOT-UN Number: Not Applicable IATA-Un number: Not Applicable IMDG-Un number: Not Applicable

UN proper shipping name

TDG-Shipping Name: Not Applicable ADR-Shipping Name: Not Applicable DOT-Proper Shipping Name: Not Applicable IATA-Technical name: Not Applicable IMDG-Technical name: Not Applicable

Transport hazard class(es)

TDG-Class: Not Applicable ADR-Class: Not Applicable DOT-Hazard Class: Not Applicable IATA-Class: Not Applicable IMDG-Class: Not Applicable

Packing group

Print date

TDG-Packing Group: Not Applic	
ADR-Packing Group: Not Applic	
DOT Packing Group: Not Applica	
IATA-Packing group: Not Applic	
IMDG-Packing group: Not Appli	able
Environmental hazards	
Marine pollutant: No	
Environmental Pollutant: Not Ap	plicable
	w II of MARROL 72 /70 and the IRC (ada)
Not Applicable	ex II of MARPOL 73/78 and the IBC Code)
Special precautions in connection wi	th transport or conveyance
TDG:	
Not Applicable	
Department of Transportation (DOT):	
Not Applicable	
Road and Rail (ADR-RID):	
Not Applicable	
Air (IATA):	
Not Applicable	
Sea (IMDG):	
Not Applicable	
15. Regulatory information	
Canada - Federal regulations	
DSL - Domestic Substances List	
All the substances are listed in t	he DSL.
NDSL - Non Domestic Substances Lis	t
This product complies with NDS	
NPRI - National Pollutant Release In	-
NPRI (National Pollutant Re	ease Inventory) - List of substances listed.
No substances listed	
USA - Federal regulations	
TSCA - Toxic Substances Control Act	
All the components are listed or	i the TSCA inventory
TSCA listed substances:	
silica sand; quartz	is listed in TSCA Section 8b
portland cement; cement,	is listed in TSCA Section 8b
portland, chemicals	
SARA - Superfund Amendments and	Reauthorization Act
Section 302 - Extremely Haz	
No substances listed	
Section 304 - Hazardous sub	
	stances:
No substances listed	
Section 313 - Toxic chemical	list:
No substances listed	
CERCLA - Comprehensive Environme Substance(s) listed under Cl	ntal Response, Compensation, and Liability Act RCLA:
No substances listed	
CAA - Clean Air Act	
CAA listed substances:	
No substances listed	
CWA - Clean Water Act	
CWA - Clean Water Act CWA listed substances:	
No substances listed	
USA - State specific regulations	
California Proposition 65	
Substance(s) listed under Ca	Ilifornia Proposition 65:

Production Name NOVOPLAN DPL

_

Listed as carcinogen

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

silica sand: quartz

portland cement; cement, portland, chemicals

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

silica sand; quartz

portland cement; cement, portland, chemicals

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

silica sand; quartz

portland cement; cement, portland, chemicals

16. Other information

Safety Data Sheet dated: 7/21/2023 - version 1

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description			
H314	Causes severe skin burns and eye dama	ge.		
H317	May cause an allergic skin reaction.	May cause an allergic skin reaction.		
H318	Causes serious eye damage.			
H335	May cause respiratory irritation.			
H350	May cause cancer.			
H372	Causes damage to organs through prolo	nged or repeated exposure.		
Code	Hazard class and hazard category	Description		
A.2/1A	Skin Corr. 1A	Skin corrosion, Category 1A		
A.3/1	Eye Dam. 1	Serious eye damage, Category 1		
A.4.2/1	Skin Sens. 1	Skin Sensitization, Category 1		
A.6/1A	Carc. 1A	Carcinogenicity, Category 1A		
A.8/3	STOT SE 3	Specific target organ toxicity following single exposure, Category 3		
A.9/1	STOT RE 1	Specific target organ toxicity following repeated exposure, Category 1		
Legend t	to abbreviations and acronyms used in the s	afety data sheet:		
1	ADR: European Agreement concerning the Inter	national Carriage of Dangerous Goods by Road.		
I	RID: Regulation Concerning the International Tr	ansport of Dangerous Goods by Rail.		
]	IMDG: International Maritime Code for Dangerous Goods.			
]	IATA: International Air Transport Association.			
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).				
	ICAO: International Civil Aviation Organization.			
	ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).			
	GHS: Globally Harmonized System of Classification and Labeling of Chemicals.			
	CLP: Classification, Labeling, Packaging.			
	EINECS: European Inventory of Existing Comme			
	INCI: International Nomenclature of Cosmetic Ingredients.			
	CAS: Chemical Abstracts Service (division of the American Chemical Society).			
	GefStoffVO: Ordinance on Hazardous Substances, Germany.			
	LC50: Lethal concentration, for 50 percent of test population.			
	LD50: Lethal dose, for 50 percent of test popula	tion.		
	DNEL: Derived No Effect Level.			
I	PNEC: Predicted No Effect Concentration.			

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

WGK: German Water Hazard Class.

KSt: Explosion coefficient.