

**Safety Data Sheet**  
acc. to OSHA HCS

Printing Date 01/08/2014

Revision Number 1

Revision Date 01/08/2014

**1 Identification**

- **Product identifier**
- **Trade name:** *Parabond M-355 Aerosol Spray Adhesive*
- **Relevant identified uses of the substance or mixture.** *Adhesive*
- **Details of the supplier of the safety data sheet**
- **Company information:**  
*H.B. Fuller Construction Products Inc.  
1105 S. Frontenac Street  
Aurora, IL 60504  
Information Phone Number: 1-800-552-6225*
- **Information department:** *Environment protection department.*

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS02 Flame

*Flam. Aerosol 1 H222 Extremely flammable aerosol.*



GHS08 Health hazard

*Repr. 2 H361 Suspected of damaging fertility or the unborn child.  
STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.  
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.*



GHS07

*Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2A H319 Causes serious eye irritation.  
STOT SE 3 H336 May cause drowsiness or dizziness.*

- **Label elements**
- **GHS label elements** *The product is classified and labeled according to the Globally Harmonized System (GHS).*
- **Hazard pictograms**



GHS02



GHS07



GHS08

- **Signal word** *Danger*
- **Hazard statements**  
*Extremely flammable aerosol.  
Causes skin irritation.*

(Contd. on page 2)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 01/08/2014

Revision Number 1

Revision Date 01/08/2014

**Trade name: Parabond M-355 Aerosol Spray Adhesive**

(Contd. of page 1)

Causes serious eye irritation.  
 Suspected of damaging fertility or the unborn child.  
 May cause drowsiness or dizziness.  
 May cause damage to organs through prolonged or repeated exposure.  
 May be fatal if swallowed and enters airways.

· **Precautionary statements**

If medical advice is needed, have product container or label at hand.  
 Keep out of reach of children.  
 Read label before use.  
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
 Continue rinsing.  
 Store locked up.  
 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**

|                 |   |                     |
|-----------------|---|---------------------|
| HEALTH          | 2 | Health = *2         |
| FIRE            | 4 | Fire = 4            |
| PHYSICAL HAZARD | 1 | Physical Hazard = 1 |

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description: Adhesive**

· **Dangerous components:**

|          |                |        |
|----------|----------------|--------|
| 67-64-1  | acetone        | 10-25% |
| 74-98-6  | propane        | 10-25% |
| 110-54-3 | n-hexane       | 5-20%  |
| 115-10-6 | dimethyl ether | 5-20%  |

### 4 First-aid measures

· **Description of first aid measures**

· **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 01/08/2014

Revision Number 1

Revision Date 01/08/2014

**Trade name: Parabond M-355 Aerosol Spray Adhesive**

(Contd. of page 2)

- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Seek medical treatment.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Protective clothing and respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of contaminated material as waste in accordance with federal state and local regulations.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Avoid prolonged or repeated contact with skin.  
Avoid contact with eyes.  
Wash thoroughly after handling.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.  
Do not spray on a naked flame or any incandescent material.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool location away from direct heat.  
Observe official regulations on storing packagings with pressurized containers.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing Date 01/08/2014

Revision Number 1

Revision Date 01/08/2014

**Trade name: Parabond M-355 Aerosol Spray Adhesive**

(Contd. of page 3)

- **Further information about storage conditions:**  
Store receptacle in a well ventilated area.  
Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

## \* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**67-64-1 acetone (10-25%)**

|     |   |
|-----|---|
| PEL | Long-term value: 2400 mg/m <sup>3</sup> , 1000 ppm  |
| REL | Long-term value: 590 mg/m <sup>3</sup> , 250 ppm  |
| TLV | Short-term value: (1782) NIC-1187 mg/m <sup>3</sup> , (750) NIC-500 ppm<br>Long-term value: (1188) NIC-475 mg/m <sup>3</sup> , (500) NIC-200 ppm<br>BEI |

**74-98-6 propane (10-25%)**

|     |  |
|-----|--|
| PEL | Long-term value: 1800 mg/m <sup>3</sup> , 1000 ppm |
| REL | Long-term value: 1800 mg/m <sup>3</sup> , 1000 ppm |
| TLV | refer to Appendix F: minimal oxygen content        |

**110-54-3 n-hexane (5-20%)**

|     |  |
|-----|--|
| PEL | Long-term value: 1800 mg/m <sup>3</sup> , 500 ppm            |
| REL | Long-term value: 180 mg/m <sup>3</sup> , 50 ppm              |
| TLV | Long-term value: 176 mg/m <sup>3</sup> , 50 ppm<br>Skin; BEI |

**115-10-6 dimethyl ether (5-20%)**

|      |                           |
|------|---------------------------|
| WEEL | Long-term value: 1000 ppm |
|------|---------------------------|

· **Ingredients with biological limit values:**

**67-64-1 acetone (10-25%)**

|     |  |
|-----|--|
| BEI | 50 mg/L<br>Medium: urine<br>Time: end of shift<br>Parameter: Acetone (nonspecific) |
|-----|--|

**110-54-3 n-hexane (5-20%)**

|     |   |
|-----|---|
| BEI | 0.4 mg/L<br>Medium: urine<br>Time: end of shift at end of workweek<br>Parameter: 2.5-Hexanedione without hydrolysis |
|-----|---|

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**
- **Personal protective equipment (see listings below)**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

(Contd. on page 5)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 01/08/2014

Revision Number 1

Revision Date 01/08/2014

**Trade name: Parabond M-355 Aerosol Spray Adhesive**

(Contd. of page 4)

· **Breathing equipment:**

Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Safety glasses with side shields.



Tightly sealed goggles

· **Body protection:** Protective work clothing

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

|                           |                 |
|---------------------------|-----------------|
| <b>Form:</b>              | Liquid          |
| <b>Color:</b>             | Whitish         |
| · <b>Odor:</b>            | Characteristic  |
| · <b>Odour threshold:</b> | Not determined. |

· **pH-value:** Not determined.

· **Change in condition**

|                       |                 |
|-----------------------|-----------------|
| <b>Melting point:</b> | Undetermined.   |
| <b>Boiling point:</b> | -44 °C (-47 °F) |

· **Flash point:** -104 °C (-155 °F)

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 235 °C (455 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Not determined.

· **Flammable limits:**

|               |           |
|---------------|-----------|
| <b>Lower:</b> | 1.2 Vol % |
|---------------|-----------|

(Contd. on page 6)

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 01/08/2014

Revision Number 1

Revision Date 01/08/2014

**Trade name: Parabond M-355 Aerosol Spray Adhesive**

(Contd. of page 5)

|   |  |
|---|--|
| <b>Upper:</b>                                     | 18.6 Vol %                                 |
| · <b>Vapor pressure at 20 °C (68 °F):</b>         | 8300 hPa (6226 mm Hg)                      |
| · <b>Specific gravity at 20 °C (68 °F):</b>       | 0.7051 g/cm <sup>3</sup> (5.884 lbs/gal)   |
| · <b>Relative density</b>                         | Not determined.                            |
| · <b>Vapour density</b>                           | Not determined.                            |
| · <b>Evaporation rate</b>                         | Not applicable.                            |
| · <b>Solubility in / Miscibility with Water:</b>  | Not miscible or difficult to mix.          |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.                            |
| · <b>Viscosity:</b>                               |  |
| <b>Dynamic:</b>                                   | Not determined.                            |
| <b>Kinematic:</b>                                 | Not determined.                            |
| · <b>Other information</b>                        | No further relevant information available. |

### 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Reacts with oxidizing agents.
- **Conditions to avoid** heat, flames, sparks, hot surfaces, ignition sources.
- **Incompatible materials:** Reacts with oxidizing agents.
- **Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Hydrocarbons

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Skin irritant.
- **on the eye:**  
Irritating effect.  
Vapors may be irritating to the eyes.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

USA

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing Date 01/08/2014

Revision Number 1

Revision Date 01/08/2014

**Trade name: Parabond M-355 Aerosol Spray Adhesive**

(Contd. of page 6)

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:** At present there are no ecotoxicological assessments.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must be specially treated adhering to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- |                                       |                 |
|---------------------------------------|-----------------|
| · <b>UN-Number</b>                    |                 |
| · <b>ADR</b>                          | UN1950          |
| · <b>UN proper shipping name</b>      |                 |
| · <b>ADR</b>                          | 1950 Aerosols   |
| · <b>Transport hazard class(es)</b>   |                 |
| · <b>DOT</b>                          |                 |
| · <b>Class</b>                        | 2.1             |
| · <b>Label</b>                        | ORM-D           |
| · <b>ADR</b>                          |                 |
| · <b>Class</b>                        | 2.1             |
| · <b>Packing group</b>                | None            |
| · <b>Environmental hazards:</b>       | Not applicable. |
| · <b>Special precautions for user</b> | Not applicable. |

(Contd. on page 8)

USA

# Safety Data Sheet

## acc. to OSHA HCS

Printing Date 01/08/2014

Revision Number 1

Revision Date 01/08/2014

**Trade name: Parabond M-355 Aerosol Spray Adhesive**

(Contd. of page 7)

- |  |  |
|--|--|
| <b>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.  |
| <b>· Transport/Additional information:</b>                                       | ORM-D - Material transported in aerosol cans, via domestic ground, is regulated as an ORM-D. |
| <b>· IATA</b>  |  |
| <b>· Remarks:</b>  | CARGO AIRCRAFT ONLY  |
| <b>· UN "Model Regulation":</b>  | UN1950, Aerosols, 2.1  |

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

**· Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

**· Section 313 (Specific toxic chemical listings):**

110-54-3 | n-hexane

**· TSCA (Toxic Substances Control Act):**

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

**· Proposition 65**

**· Chemicals known to cause cancer:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity:**

None of the ingredients is listed.

**· (DSL) Canada Domestic Substance List**

All components of this product are on the DSL (Canada Domestic Substance list) or are exempt from DSL requirements.

**· Cancerogenity categories**

**· EPA (Environmental Protection Agency)**

|          |          |    |
|----------|----------|----|
| 67-64-1  | acetone  | I  |
| 110-54-3 | n-hexane | II |

**· TLV (Threshold Limit Value established by ACGIH)**

|         |         |    |
|---------|---------|----|
| 67-64-1 | acetone | A4 |
|---------|---------|----|

**· MAK (German Maximum Workplace Concentration)**

None of the ingredients is listed.

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

**· OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**· National regulations:**

- **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS

Printing Date 01/08/2014

Revision Number 1

Revision Date 01/08/2014

**Trade name: Parabond M-355 Aerosol Spray Adhesive**

(Contd. of page 8)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

Although the information and recommendations set forth in this MSDS are presented in good faith and are believed to be correct as of the date of this MSDS, H.B. Fuller Construction Products Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will H.B. Fuller Construction Products Inc. or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the MSDS.

· **Department issuing MSDS:** Environment protection department.

· **Creation Date:** 01/08/2014

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

USA